

Patch

KNITTING BOOK
NO. 193

"JACK"
See page 8

"DESMOND"
See page 9

6^D



"VAN"
See page 10.



"JIMMY"
See page 12.



"BILL"
See page 5.

"RODNEY"
See page 5.

Bill

(WITH OR WITHOUT SLEEVES)

*Illustrated on Page 4.***MATERIALS:—**

PATONS BEEHIVE Fingering, 3-ply,
"Patonised"-Shrink-Resist Finish.

Quantities:—

With Sleeves 10 ozs.

Without Sleeves 8 ozs.

Knitting Needles 1 pair each Nos. 10 and 12

MEASUREMENTS:—

Length from top of shoulder 24 ins.

Width all round at under-arm 38 ins.

Length of sleeve from under-arm 20 ins.

ABBREVIATIONS:—See page 20.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width. **Check tension—**see page 20.

THE FRONT.—Using No. 12 Needles, cast on 140 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row for 3½ ins.

Using No. 10 Needles, proceed as follows:—

**** 1st row.—**K.1, * K.3, P.1, K.1, P.1, repeat from * to last st., K.1.

2nd row.—K.1, * K.2, P.4, repeat from * to last st., K.1.

3rd row.—K.1, * K.3, P.3, repeat from * to last st., K.1.

4th row.—K.1, * K.4, P.2, repeat from * to last st., K.1.

5th row.—K.1, * K.1, P.5, repeat from * to last st., K.1.

6th row.—K.1, * P.1, K.4, P.1, repeat from * to last st., K.1.

7th row.—K.1, * K.1, P.3, K.2, repeat from * to last st., K.1.

8th row.—K.1, * P.3, K.2, P.1, repeat from * to last st., K.1.

9th row.—K.1, * (K.1, P.1) twice, K.2, repeat from * to last st., K.1.

10th row.—K.1, * P.2, K.2, P.2, repeat from * to last st., K.1.

11th row.—K.1, * K.1, P.3, K.2, repeat from * to last st., K.1.

12th row.—K.1, * P.2, K.4, repeat from * to last st., K.1.

13th row.—K.1, * P.4, K.1, P.1, repeat from * to last st., K.1.

14th row.—K.1, * K.1, P.2, K.3, repeat from * to last st., K.1.

15th row.—K.1, * P.2, K.3, P.1, repeat from * to last st., K.1.

16th row.—K.1, * K.1, P.4, K.1, repeat from * to last st., K.1.

17th row.—K.1, * K.1, P.1, K.3, P.1, repeat from * to last st., K.1.

18th row.—K.1, * P.4, K.2, repeat from * to last st., K.1.

19th row.—K.1, * P.2, K.3, P.1, repeat from * to last st., K.1.

20th row.—K.1, * K.2, P.2, K.2, repeat from * to last st., K.1.

21st row.—K.1, * P.2, K.1, P.3, repeat from * to last st., K.1.

22nd row.—K.1, * K.3, P.2, K.1, repeat from * to last st., K.1.

23rd row.—K.1, * K.3, P.3, repeat from * to last st., K.1.

24th row.—K.1, * P.1, K.2, P.3, repeat from * to last st., K.1. **

Repeat from ** to ** four times, then from ** to 4th row once.

Cast off 6 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row until 118 sts. remain.

Work 1 row without shaping.

In next row K.2 tog., work 57 sts. in pattern, turn. Leave remaining sts. on a spare needle and work in pattern on these 58 sts. as follows:—

Decrease once at beginning of needle in every alternate row three times, whilst at same time decreasing once at end of needle in 2nd and following 4th row (53 sts.).

Continue decreasing once at end of needle in every 4th row until 38 sts. remain.

Shape for shoulder as follows:—

1st row.—Work in pattern to last 9 sts., turn.

2nd and 4th rows.—Work in pattern to end of row.

3rd row.—Work in pattern to last 18 sts., turn.

5th row.—Work in pattern to last 28 sts., turn.

6th row.—Like 2nd row. Cast off.

Join in wool at centre front and work on remaining sts. to correspond with other side.

THE BACK.—Work exactly as given for Front to under-arm.

Cast off 6 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row until 110 sts. remain.

Continue without shaping until arm-holes measure same as Front arm-holes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work in pattern to last 9 sts., turn.

3rd and 4th rows.—Work in pattern to last 18 sts., turn.

5th and 6th rows.—Work in pattern to last 28 sts., turn.

7th and 8th rows.—Work in pattern to last 38 sts., turn.

9th row.—Work in pattern to end of row.

Cast off.

THE SLEEVES.—Using No. 12 Needles, cast on 72 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row for 3½ ins.

In next row K.2, (P.1, K.1) three times, increase once in next st., * (K.1, P.1) four times, increase once in next st., (P.1, K.1) four times, increase once in next st., repeat from * to last 9 sts., (K.1, P.1) four times, increase once in last st. (80 sts.).

Using No. 10 Needles, work in pattern as given from ** to ** for Front, increasing once at each end of needle in 9th and every following 8th row until there are 118 sts. on needle.

Work 3 rows without shaping.

Decrease once at each end of needle in every row until 46 sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECK-BAND.—Sew up right shoulder seam. With right side of work facing and using No. 12 Needles, knit up 59 sts. evenly along left side of neck (knitting up last st. from centre front), 53 sts. along right side of neck and 31 sts. across back of neck (148 sts.).

1st row.—K.2, (P.1, K.1) forty-two times, (P.1, K.2 tog.) twice, (P.1, K.1) twenty-eight times.

2nd row.—K.2, (P.1, K.1) twenty-six times, P.1, K.2 tog., K.1, K.2 tog., (P.1, K.1) forty-three times.

3rd row.—K.2, (P.1, K.1) forty-one times, (P.1, K.2 tog.) twice, (P.1, K.1) twenty-seven times.

4th row.—K.2, (P.1, K.1) twenty-five times, P.1, K.2 tog., K.1, K.2 tog., (P.1, K.1) forty-two times.

5th row.—K.2, (P.1, K.1) forty times, (P.1, K.2 tog.) twice, (P.1, K.1) twenty-six times.

6th row.—K.2, (P.1, K.1) twenty-four times, P.1, K.2 tog., K.1, K.2 tog., (P.1, K.1) forty-one times.

7th row.—K.2, (P.1, K.1) thirty-nine times, (P.1, K.2 tog.) twice, (P.1, K.1) twenty-five times.

8th row.—K.2, (P.1, K.1) twenty-three times, P.1, K.2 tog., K.1, K.2 tog., (P.1, K.1) forty times.

9th row.—K.2, (P.1, K.1) thirty-eight times, (P.1, K.2 tog.) twice, (P.1, K.1) twenty-four times.

10th row.—K.2, (P.1, K.1) twenty-two times, P.1, K.2 tog., K.1, K.2 tog., (P.1, K.1) thirty-nine times. Cast off in rib.

THE ARM-HOLE BANDS (for Pullover without sleeves).

Sew up left shoulder seam.

With right side of work facing and using No. 12 Needles, knit up 114 sts. evenly round arm-hole.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row nine times.

Cast off in rib.

Work other Arm-hole Band in same manner.

TO MAKE UP PULLOVER.—With a slightly damp cloth and warm iron press lightly. Sew up side, left shoulder and sleeve seams. Sew in sleeves, placing seam to seam. For Pullover without sleeves:—Sew up side seams.

Rodney

(WITH OR WITHOUT SLEEVES)

Illustrated on Page 4.

MATERIALS:—

PATONS TOTEM Knitting Wool.

Quantities:—

With Sleeves 20 ozs.

Without Sleeves 14 ozs.

Knitting Needles 1 pair each Nos. 6 and 9

MEASUREMENTS:—

Length from top of shoulder 23 ins.

Width all round at under-arm 38 ins.

Length of sleeve from under-arm 20 ins.

ABBREVIATIONS:—See page 20.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 5 stitches to the inch in width. **Check tension**—see page 20.

THE FRONT.—Using No. 9 Needles, cast on 106 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row twenty-four times.

Using No. 6 Needles, proceed as follows:—

**** 1st row.**—K.2, * knit into back of second st. on left-hand needle, but before slipping it off knit into front of first st., slip both sts. off needle together, K.2, repeat from * to end of row.

2nd row.—K.1, P.1, * purl second st. on left-hand needle, but before slipping it off purl first st., slip both sts. off needle together, P.2, repeat from * to last 4 sts., purl second st. on left-hand needle, but before slipping it off purl first st., slip both sts. off needle together, P.1, K.1. **

Repeat 1st and 2nd rows thirty-seven times. (For Pullover without sleeves:—Repeat 1st and 2nd rows thirty-five times.)

Cast off 7 sts. at beginning of each of next 2 rows. In next row K.2 tog., work 44 sts. in pattern, turn. Leave remaining sts. on a spare needle, and continue in pattern on these 45 sts. as follows:—Decrease once at beginning of needle in every alternate row five times, whilst at same time decreasing once at neck edge in 2nd and every following 3rd row twice (37 sts.).

Continue working in pattern, decreasing once at neck edge only in next and every following 3rd row until 26 sts. remain.

Continue in pattern without shaping until work measures $22\frac{1}{2}$ ins. from commencement, ending at neck edge.

Shape for shoulder as follows:—

1st row.—Work in pattern to last 9 sts., turn.

2nd row.—Work in pattern to end of row.

3rd row.—Work in pattern to last 18 sts., turn.

4th row.—Like 2nd row. Cast off.

Join in wool at centre front and work on remaining sts. to correspond with other side.

THE BACK.—Work exactly as given for Front to under-arm.

Cast off 7 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row until 80 sts. remain.

Continue without shaping until arm-holes measure same as Front arm-holes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work in pattern to last 9 sts., turn.

3rd and 4th rows.—Work in pattern to last 18 sts., turn.

5th and 6th rows.—Work in pattern to last 26 sts., turn.

7th row.—Work in pattern to end of row. Cast off.

THE SLEEVES.—Using No. 9 Needles, cast on 42 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row twenty-four times.

Using No. 6 Needles, work in pattern as given from ** to ** for Front, increasing once at each end of needle in 3rd and every following 6th row until there are 76 sts. on needle (working extra sts. in pattern).

Work 2 rows without shaping.

Decrease once at each end of needle in every row until 20 sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECK-BAND.—Sew up right shoulder seam.

With right side of work facing and using No. 9 Needles, knit up 51 sts. evenly along left side of neck (knitting up last st. from centre front), 50 sts. along right side of neck and 30 sts. across back of neck (131 sts.).

1st row.—(K.1, P.1) thirty-nine times, K.2 tog., P.1, K.2 tog., (P.1, K.1) twenty-four times.

2nd row.—K.1, (K.1, P.1) twenty-three times, slip 1, K.1, p.s.s.o., K.1, K.2 tog., (P.1, K.1) thirty-eight times, K.1.

3rd row.—(K.1, P.1) thirty-eight times, K.2 tog., P.1, K.2 tog., (P.1, K.1) twenty-three times.

4th row.—K.1, (K.1, P.1) twenty-two times, slip 1, K.1, p.s.s.o., K.1, K.2 tog., (P.1, K.1) thirty-seven times, K.1.

5th row.—(K.1, P.1) thirty-seven times, K.2 tog., P.1, K.2 tog., (P.1, K.1) twenty-two times.

6th row.—K.1, (K.1, P.1) twenty-one times, slip 1, K.1, p.s.s.o., K.1, K.2 tog., (P.1, K.1) thirty-six times, K.1.

Cast off in rib.

THE ARM-HOLE BANDS (for Pullover without sleeves).

Sew up left shoulder seam.

With right side of work facing and using No. 9 Needles, knit up 114 sts. evenly round arm-hole.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row five times.

Cast off in rib.

Work other Arm-hole Band in same manner.

TO MAKE UP PULLOVER.—With a slightly damp cloth and warm iron press lightly. Sew up side, left shoulder and sleeve seams. Sew in sleeves, placing seam to seam. For Pullover without sleeves:—Sew up side seams.

Jack

Illustrated on Front Cover.

MATERIALS:—

PATONS BEEHIVE Fingering, 3-ply,
"Patonised"-Shrink-Resist Finish.

Quantity 7 ozs.

Knitting Needles 1 pair each Nos. 10 and 12

MEASUREMENTS:—

Length from top of shoulder 24 ins.

Width all round at under-arm 38 ins.

ABBREVIATIONS:—See page 20.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width. **Check tension**—see page 20.

THE FRONT.—Using No. 12 Needles, cast on 150 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row thirty-nine times, decreasing once at end of needle in last row.

Using No. 10 Needles, proceed as follows:—

1st row.—K.2, slip 1 purlways, * K.5, slip 1, purlways, repeat from * to last 2 sts., K.2.

2nd row.—K.1, purl to last st., K.1.

Repeat 1st and 2nd rows until work measures 15½ ins. from commencement.

In next row cast off 9 sts., work 65 sts. in pattern, turn.

Leave remaining sts. on a spare needle and continue working in pattern on these 65 sts. as follows:—

Decrease once at beginning of needle in every alternate row nine times, whilst at same time

decreasing once at end of needle in 2nd and every following 4th row four times (51 sts.).

Continue decreasing once at end of needle in every 4th row until 38 sts. remain.

Continue in pattern without shaping until work measures 23½ ins. from commencement, ending at neck edge.

Shape for shoulder as follows:—

1st row.—Work in pattern to last 9 sts., turn.

2nd and 4th rows.—Work in pattern to end of row.

3rd row.—Work in pattern to last 18 sts., turn.

5th row.—Work in pattern to last 28 sts., turn.

6th row.—Like 2nd row. Cast off.

Join in wool at centre front, K.2 tog., and work on remaining sts. to correspond with other side.

THE BACK.—Work exactly as given for Front to under-arm.

Cast off 9 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row until 113 sts. remain.

Continue working in pattern without shaping until arm-holes measure same as Front arm-holes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work in pattern to last 9 sts., turn.

3rd and 4th rows.—Work in pattern to last 18 sts., turn.

5th and 6th rows.—Work in pattern to last 28 sts., turn.

7th and 8th rows.—Work in pattern to last 38 sts., turn.

9th row.—Work in pattern to end of row. Cast off.

THE NECK-BAND.—Sew up right shoulder seam. With right side of work facing and using No. 12 Needles, knit up 85 sts. evenly along left side of neck (knitting up last st. from centre front), 84 sts. along right side of neck and 44 sts. across back of neck (213 sts.).

1st row.—K.2, (P.1, K.1) sixty-two times, P.2 tog., P.1, P.2 tog., (K.1, P.1) forty times, K.2.

2nd row.—(K.1, P.1) forty times, (K.1, P.2 tog.) twice, (K.1, P.1) sixty-two times, K.1.

3rd row.—K.2, (P.1, K.1) sixty-one times, P.2 tog., P.1, P.2 tog., (K.1, P.1) thirty-nine times, K.2.

4th row.—(K.1, P.1) thirty-nine times, (K.1, P.2 tog.) twice, (K.1, P.1) sixty-one times, K.1.

5th row.—K.2, (P.1, K.1) sixty times, P.2 tog., P.1, P.2 tog., (K.1, P.1) thirty-eight times, K.2.

6th row.—(K.1, P.1) thirty-eight times, (K.1, P.2 tog.) twice, (K.1, P.1) sixty times, K.1.

7th row.—K.2, (P.1, K.1) fifty-nine times, P.2 tog., P.1, P.2 tog., (K.1, P.1) thirty-seven times, K.2.

8th row.—(K.1, P.1) thirty-seven times, (K.1, P.2 tog.) twice, (K.1, P.1) fifty-nine times, K.1.

9th row.—K.2, (P.1, K.1) fifty-eight times, P.2 tog., P.1, P.2 tog., (K.1, P.1) thirty-six times, K.2.

10th row.—(K.1, P.1) thirty-six times, (K.1, P.2 tog.) twice, (K.1, P.1) fifty-eight times, K.1.

11th row.—K.2, (P.1, K.1) fifty-seven times, P.2 tog., P.1, P.2 tog., (K.1, P.1) thirty-five times, K.2.

12th row.—(K.1, P.1) thirty-five times, (K.1, P.2 tog.) twice, (K.1, P.1) fifty-seven times, K.1.

Cast off in rib.

THE ARM-HOLE BANDS.—Sew up left shoulder seam.

With right side of work facing and using No. 12 Needles, knit up 172 sts. evenly round arm-hole.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row nine times. Cast off in rib.

Work other Arm-hole Band in same manner.

TO MAKE UP PULLOVER.—With a slightly damp cloth and warm iron press lightly. Sew up side seams.

Wesmond

(WITH OR WITHOUT SLEEVES)

Illustrated on Front Cover.

MATERIALS:—

PATONS TOTEM Knitting Wool.

Quantities:—

With Sleeves 16 ozs.

Without Sleeves 10 ozs.

Knitting Needles 1 pair each Nos. 6 and 8

MEASUREMENTS:—

Length from top of shoulder 22½ ins.
(or length desired)

Width all round at under-arm 38 ins.

Length of sleeve from under-arm 20 ins.

ABBREVIATIONS:—See page 20.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 5 stitches to the inch in width. **Check tension**—see page 20.

THE FRONT.—Using No. 8 Needles, cast on 74 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row for 3½ ins.

Using No. 6 Needles, proceed as follows:—

**** 1st row.**—K.1, * K.2, P.1, K.1, P.1, repeat from * to last 3 sts., K.3.

2nd row.—K.1, * P.2, K.1, P.1, K.1, repeat from * to last 3 sts., P.2, K.1.

3rd row.—* K.4, P.1, repeat from * to last 4 sts., K.4.

4th row.—K.1, P.3, * K.1, P.4, repeat from * to last 5 sts., K.1, P.3, K.1. **

Continue working in pattern as given from ** to **, increasing once at each end of needle in 11th and every following 10th row until there are 84 sts. on needle.

Continue in pattern without shaping until work measures 14½ ins. (or length desired) from commencement.

Cast off 4 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row until 68 sts. remain.

Work 1 row without shaping.

In next row K.1, K.2 tog., work 31 sts. in pattern, turn.

Leave remaining sts. on a spare needle, and continue working in pattern on these 33 sts., decreasing once at end of needle in 2nd and every following 4th row until 22 sts. remain.

Shape for shoulder as follows:—

1st row.—Work in pattern to last 5 sts., turn.

2nd and 4th rows.—Work in pattern to end of row.

3rd row.—Work in pattern to last 10 sts., turn.

5th row.—Work in pattern to last 15 sts., turn.

6th row.—Like 2nd row. Cast off.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

THE BACK.—Work exactly as given for Front to under-arm.

Cast off 4 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row until 66 sts. remain.

Continue without shaping until arm-holes measure same as Front arm-holes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work in pattern to last 5 sts., turn.

3rd and 4th rows.—Work in pattern to last 10 sts., turn.

5th and 6th rows.—Work in pattern to last 15 sts., turn.

7th and 8th rows.—Work in pattern to last 22 sts., turn.

9th row.—Work in pattern to end of row. Cast off.

THE SLEEVES.—Using No. 8 Needles, cast on 44 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row for 3½ ins.

Using No. 6 Needles, work in pattern as given from ** to ** for Front, increasing once at each end of needle in 9th and every following 8th row until there are 70 sts. on needle.

Work 3 rows without shaping.

Decrease once at beginning of needle in every row until 42 sts. remain, then decrease once at each end of needle in every row until 34 sts. remain. Cast off. Work another Sleeve in same manner.

THE NECK-BAND.—Sew up right shoulder seam. With right side of work facing and using No. 8 Needles, knit up 41 sts. evenly along left side of neck (knitting up last st. from centre front), 40 sts. along right side of neck, and 23 sts. across back of neck (104 sts.).

1st row.—(K.1, P.1) thirty times, K.1, P.2 tog., P.1, P.2 tog., (K.1, P.1) eighteen times, K.2.

2nd row.—(K.1, P.1) eighteen times, K.1, slip 1, K.1, p.s.s.o., K.1, P.2 tog., (K.1, P.1) twenty-nine times, K.2.

3rd row.—(K.1, P.1) twenty-nine times, K.1, P.2 tog., P.1, P.2 tog., (K.1, P.1) seventeen times, K.2.

4th row.—(K.1, P.1) seventeen times, (K.1, P.2 tog.) twice, (K.1, P.1) twenty-eight times, K.2.

5th row.—(K.1, P.1) twenty-eight times, K.1, P.2 tog., P.1, P.2 tog., (K.1, P.1) sixteen times, K.2.

6th row.—(K.1, P.1) sixteen times, (K.1, P.2 tog.) twice, (K.1, P.1) twenty-seven times, K.2.

Cast off in rib.

THE ARM-HOLE BANDS (for Pullover without sleeves).

Sew up left shoulder seam.

With right side of work facing and using No. 8 Needles, knit up 82 sts. evenly round arm-hole.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat this row five times. Cast off in rib.

Work other Arm-hole Band in same manner.

TO MAKE UP PULLOVER.—With a slightly damp cloth and warm iron press lightly. Sew up side, left shoulder and sleeve seams. Sew in sleeves, placing seam to seam. For Pullover without sleeves:—Sew up side seams.

Van

(IN TWO SIZES)

Illustrated Inside Front Cover

MATERIALS:—

PATONS BEEHIVE Fingering, 4-ply.
"Patonised"-Shrink-Resist Finish,

	[A]	[B]
Quantities	14 ozs.	15 ozs.
Knitting Needles	1 pair each Nos. 10 and 12	

MEASUREMENTS:—

	[A]	[B]
Length from top of shoulder ...	24 ins.	25 ins.
Width all round at under-arm	38 ins.	40 ins.
Length of sleeve from under-arm	20 ins.	21 ins.
	(or length desired)	

ABBREVIATIONS:—See page 20.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 7½ stitches to the inch in width. Check tension—see page 20.

Instructions are written for smaller size [A]. Instructions for larger size [B] are written in brackets thus [B—].

THE FRONT.—Using No. 12 Needles, cast on 142 [B—152] stitches

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row thirty-three times, increasing once at end of needle in last row.

Using No. 10 Needles, proceed as follows:—

**** 1st row.**—* K.3, P.2, repeat from * to last 3 sts., K.3.

2nd row.—K.1, purl to last st., K.1. **
Continue in pattern as given from ** to ** until

work measures $15\frac{1}{2}$ [B— $16\frac{1}{2}$] ins. from commencement.

Cast off 8 sts. at beginning of each of next 2 rows. In next row K.2 tog., work 61 [B—66] sts. in pattern, turn; leave remaining sts. on a spare needle.

[A] Continue in pattern on these 62 sts., decreasing once at beginning of needle in every alternate row twice, whilst at same time decreasing once at neck edge in 4th row (59 sts.).

Continue decreasing at neck edge only, in every 4th row, until 44 sts. remain.

[B] Work 2 rows in pattern on these 67 sts., decreasing once at beginning of needle in 2nd row.

Continue decreasing once at end of needle in 2nd and every following 4th row until 56 sts. remain, then decrease once at neck edge in every 3rd row, until 46 sts. remain.

Continue in pattern without shaping until work measures $23\frac{1}{2}$ [B— $24\frac{1}{2}$] ins. from commencement, ending at neck edge.

Shape for shoulder as follows:—

1st row.—Work in pattern to last 11 [B—11] sts., turn.

2nd and 4th rows.—Work in pattern to end of row.

3rd row.—Work in pattern to last 22 [B—23] sts., turn.

5th row.—Work in pattern to last 33 [B—34] sts., turn.

6th row.—Like 2nd row. Cast off.

Join in wool at centre front, K.2 tog. and work on remaining sts. to correspond with other side.

THE BACK.—Work exactly as given for Front to under-arm.

Cast off 8 sts. at beginning of each of next 2 rows then decrease once at each end of needle in next and every alternate row twice [B—next and following alternate row] (121 [B—133] sts.).

Continue in pattern without shaping until arm-holes measure same as Front arm-holes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work in pattern to last 11 [B—11] sts., turn.

3rd and 4th rows.—Work in pattern to last 22 [B—23] sts., turn.

5th and 6th rows.—Work in pattern to last 33 [B—34] sts., turn.

7th and 8th rows.—Work in pattern to last 44 [B—46] sts., turn.

9th row.—Work in pattern to end of row. Cast off.

THE SLEEVES.—Using No. 12 Needles, cast on 68 [B—72] stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row thirty-three times [B—increasing once at end of needle in last row.]

Using No. 10 Needles, work in pattern as given from ** to ** for Front, increasing once at each end of needle in 7th and every following 8th row until there are 104 [B—111] sts. on needle.

Continue in pattern without shaping until work measures 20 [B—21] ins. (or length desired) from commencement.

Decrease once at each end of needle in every row until 32 [B—31] sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECK-BAND.—Sew up right shoulder seam.

With right side of work facing and using No. 12 Needles, knit up 77 sts. evenly along left side of neck (knitting up last st. from centre front), 76 sts. along right side of neck and 42 sts. across back of neck (195 sts.).

1st row.—K.2, (P.1, K.1) fifty-seven times, P.2 tog., P.1, P.2 tog., (K.1, P.1) thirty-six times, K.2.

2nd row.—(K.1, P.1) thirty-six times, (K.1, P.2 tog.) twice, (K.1, P.1) fifty-seven times, K.1.

3rd row.—K.2, (P.1, K.1) fifty-six times, P.2 tog., P.1, P.2 tog., (K.1, P.1) thirty-five times, K.2.

4th row.—(K.1, P.1) thirty-five times, (K.1, P.2 tog.) twice, (K.1, P.1) fifty-six times, K.1.

5th row.—K.2, (P.1, K.1) fifty-five times, P.2 tog., P.1, P.2 tog., (K.1, P.1) thirty-four times, K.2.

6th row.—(K.1, P.1) thirty-four times, (K.1, P.2 tog.) twice, (K.1, P.1) fifty-five times, K.1.

7th row.—K.2, (P.1, K.1) fifty-four times, P.2 tog., P.1, P.2 tog., (K.1, P.1) thirty-three times, K.2.

8th row.—(K.1, P.1) thirty-three times, (K.1, P.2 tog.) twice, (K.1, P.1) fifty-four times, K.1.

9th row.—K.2, (P.1, K.1) fifty-three times, P.2 tog., P.1, P.2 tog., (K.1, P.1) thirty-two times, K.2.

10th row.—(K.1, P.1) thirty-two times, (K.1, P.2 tog.) twice, (K.1, P.1) fifty-three times, K.1.

11th row.—K.2, (P.1, K.1) fifty-two times, P.2 tog., P.1, P.2 tog., (K.1, P.1) thirty-one times, K.2.

Cast off in rib.

TO MAKE UP PULLOVER.—With a slightly damp cloth and warm iron press lightly. Sew up side, left shoulder and sleeve seams. Sew in sleeves, placing seam to seam.

Jimmy

Illustrated on Page 3.

MATERIALS:—

PATONS SOCK Wool,
"Patonised"—Shrink-Resist Finish.

Quantity 9 ozs.
 Knitting Needles 1 pair each Nos. 10 and 12

MEASUREMENTS:—

Length from top of shoulder 23 ins.
 Width all round at under-arm 38 ins.

ABBREVIATIONS:—See page 20.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce $7\frac{1}{2}$ stitches to the inch in width. **Check tension**—see page 20.

THE FRONT.—Using No. 12 Needles, cast on 142 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row twenty-nine times.

Using No. 10 Needles, proceed as follows:—

1st row.—* K.2, wl. fwd., K.2, pass wl. fwd. over, repeat from * to last 2 sts., K.2.

2nd row.—K.1, purl to last st., K.1.

Repeat 1st and 2nd rows until work measures $14\frac{1}{2}$ ins. from commencement.

Cast off 10 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and following alternate row.

Work 1 row without shaping.

In next row K.2 tog., work 57 sts. in pattern, turn. Leave remaining sts. on a spare needle and continue working in pattern on these 58 sts., decreasing once at beginning of needle in every alternate row eight times, whilst at same time decreasing once at end of needle in every 4th row four times (46 sts.).

Continue decreasing once at end of needle in every 4th row until 33 sts. remain.

Work 2 rows without shaping.

Shape for shoulder as follows:—

1st row.—Work in pattern to last 11 sts., turn.

2nd row.—Work in pattern to end of row.

3rd row.—Work in pattern to last 22 sts., turn.

4th row.—Like 2nd row. Cast off.

Join in wool at centre front and work on remaining sts. to correspond with other side.

THE BACK.—Work exactly as given for Front to under-arm.

Cast off 10 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row until 100 sts. remain.

Continue without shaping until arm-holes measure same as Front arm-holes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work in pattern to last 11 sts., turn.

3rd and 4th rows.—Work in pattern to last 22 sts., turn.

5th and 6th rows.—Work in pattern to last 33 sts., turn.

7th row.—Work in pattern to end of row.

Cast off.

THE NECK-BAND.—Sew up right shoulder seam. With right side of work facing and using No. 12 Needles, knit up 80 sts. evenly along left side of neck (knitting up last st. from centre front), 79 sts. along right side of neck and 43 sts. across back of neck (202 sts.).

1st row.—K.2, (P.1, K.1) fifty-nine times, P.2 tog., P.1, P.2 tog., (K.1, P.1) thirty-eight times, K.1.

2nd row.—K.2, (P.1, K.1) thirty-seven times, P.2 tog., K.1, P.2 tog., (K.1, P.1) fifty-nine times, K.1.

3rd row.—K.2, (P.1, K.1) fifty-eight times, P.2 tog., P.1, P.2 tog., (K.1, P.1) thirty-seven times, K.1.

4th row.—K.2, (P.1, K.1) thirty-six times, P.2 tog., K.1, P.2 tog., (K.1, P.1) fifty-eight times, K.1.

5th row.—K.2, (P.1, K.1) fifty-seven times, P.2 tog., P.1, P.2 tog., (K.1, P.1) thirty-six times, K.1.

6th row.—K.2, (P.1, K.1) thirty-five times, P.2 tog., K.1, P.2 tog., (K.1, P.1) fifty-seven times, K.1.

7th row.—K.2, (P.1, K.1) fifty-six times, P.2 tog., P.1, P.2 tog., (K.1, P.1) thirty-five times, K.1.

8th row.—K.2, (P.1, K.1) thirty-four times, P.2 tog., K.1, P.2 tog., (K.1, P.1) fifty-six times, K.1.

9th row.—K.2, (P.1, K.1) fifty-five times, P.2 tog., P.1, P.2 tog., (K.1, P.1) thirty-four times, K.1.

10th row.—K.2, (P.1, K.1) thirty-three times, P.2 tog., K.1, P.2 tog., (K.1, P.1) fifty-five times, K.1.

11th row.—K.2, (P.1, K.1) fifty-four times, P.2 tog., P.1, P.2 tog., (K.1, P.1) thirty-three times, K.1.

12th row.—K.2, (P.1, K.1) thirty-two times, P.2 tog., K.1, P.2 tog., (K.1, P.1) fifty-four times, K.1.

Cast off in rib.

THE ARM-HOLE BANDS.—Sew up left shoulder seam.

With right side of work facing and using No. 12 Needles, knit up 186 sts. evenly round arm-hole.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row nine times.

Cast off in rib.

Work other Arm-hole Band in same manner.

TO MAKE UP PULLOVER.—With a slightly damp cloth and warm iron press lightly. Sew up side seams.

Don

(WITH OR WITHOUT SLEEVES)

Illustrated on Page 21.

MATERIALS:—

PATONS BEEHIVE Fingering, 4-ply,
"Patonised"—Shrink-Resist Finish.

Quantities:—

With Sleeves 13 ozs.
Without Sleeves 9 ozs.
Knitting Needles 1 pair each Nos. 10 and 12

MEASUREMENTS (to fit 38-inch chest):—

Length from top of shoulder 24½ ins.
Length of sleeve from under-arm 20 ins.
(or length desired)

ABBREVIATIONS:—See page 20.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 1 pattern to 1 inch in width. **Check tension**—see page 20.

THE FRONT.—Using No. 12 Needles, cast on 136 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row thirty-three times, decreasing once at end of needle in last row.

Using No. 10 Needles, proceed as follows:—

**** 1st row.**—K.1, P.1, K.1, knit into back of second st. on left-hand needle, but before slipping it off knit first st., slip both sts. off needle together (working of these 2 sts. will now be termed "Twist" throughout), "Twist," * P.2, K.1, ("Twist") twice, repeat from * to last 2 sts., P.1, K.1.

2nd row.—K.1, purl to last st., K.1.

3rd row.—K.1, P.1, ("Twist") twice, K.1, * P.2, ("Twist") twice, K.1, repeat from * to last 2 sts., P.1, K.1.

4th row.—Like 2nd row. **

Continue in pattern as given from ** to ** until work measures 16½ ins. (for Pullover without sleeves 15½ ins.) from commencement.

For Pullover with sleeves:—

Cast off 9 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next row.

Work 1 row without shaping.

In next row K.2 tog., work 54 sts. in pattern, K.2 tog., turn.

Leave remaining sts. on a spare needle and continue working in pattern on these 56 sts., decreasing once at beginning of needle in every alternate row three times, whilst at same time decreasing once at end of needle in 4th row (52 sts.).

Continue decreasing once at end of needle in 2nd and every following 4th row until 35 sts. remain.

Continue without shaping until work measures 24 ins. from commencement, ending at neck edge.

Shape for shoulder as follows:—

1st row.—Work in pattern to last 9 sts., turn.

2nd and 4th rows.—Work in pattern to end of row.

3rd row.—Work in pattern to last 18 sts., turn.

5th row.—Work in pattern to last 27 sts., turn.

6th row.—Like 2nd row. Cast off.

Join in wool at neck edge and work on remaining sts. to correspond with other side, omitting K.2 tog. at centre front.

For Pullover without sleeves:—

Cast off 6 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row until 107 sts. remain.

Work 1 row without shaping.

In next row work 52 sts. in pattern, K.2 tog., turn.

Leave remaining sts. on a spare needle and continue working in pattern on these 53 sts. decreasing once at end of needle in every 4th row until 36 sts. remain.

Continue in pattern without shaping until work measures 24 ins. from commencement, ending at neck edge.

Shape for shoulder as follows:—

1st row.—Work in pattern to last 9 sts., turn.

2nd and 4th rows.—Work in pattern to end of row.

3rd row.—Work in pattern to last 18 sts., turn.

5th row.—Work in pattern to last 27 sts., turn.

6th row.—Like 2nd row. Cast off.

Join in wool at neck edge and work on remaining sts. to correspond with other side, omitting K.2 tog. at centre front.

THE BACK.—Work exactly as given for Front to under-arm.

Cast off 9 sts. (for Pullover without sleeves:—Cast off 6 sts.) at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row until 107 sts. remain.

Continue in pattern without shaping until arm-holes measure same as Front arm-holes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work in pattern to last 9 sts., turn.

3rd and 4th rows.—Work in pattern to last 18 sts., turn.

5th and 6th rows.—Work in pattern to last 27 sts., turn.

7th and 8th rows.—Work in pattern to last 36 sts., turn.

9th row.—Work in pattern to end of row. Cast off.

THE SLEEVES.—Using No. 12 Needles, cast on 66 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row thirty-three times, decreasing once at end of needle in last row.

Using No. 10 Needles, work in pattern as given from ** to ** for Front, increasing once at each end of needle in 5th and every following 6th row until there are 105 sts. on needle.

Continue in pattern without shaping until work measures 20 ins. (or length desired) from commencement.

Decrease once at each end of needle in every row until 27 sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECK-BAND.—Sew up right shoulder seam. With right side of work facing and using No. 12 Needles, knit up 73 sts. evenly along left side of neck (knitting up last st. from centre front), 72 sts. along right side of neck and 48 sts. across back of neck (193 sts.).

1st row.—(K.1, P.1) fifty-nine times, K.2 tog., P.1, K.2 tog., (P.1, K.1) thirty-five times.

2nd row.—K.1, (K.1, P.1) thirty-four times, slip 1, K.1, p.s.s.o., K.1, K.2 tog., (P.1, K.1) fifty-eight times, K.1.

3rd row.—(K.1, P.1) fifty-eight times, K.2 tog., P.1, K.2 tog., (P.1, K.1) thirty-four times.

4th row.—K.1, (K.1, P.1) thirty-three times, slip 1, K.1, p.s.s.o., K.1, K.2 tog., (P.1, K.1) fifty-seven times, K.1.

5th row.—(K.1, P.1) fifty-seven times, K.2 tog., P.1, K.2 tog., (P.1, K.1) thirty-three times.

6th row.—K.1, (K.1, P.1) thirty-two times, slip 1, K.1,

p.s.s.o., K.1, K.2 tog., (P.1, K.1) fifty-six times, K.1, **7th row.**—(K.1, P.1) fifty-six times, K.2 tog., P.1, K.2 tog., (P.1, K.1) thirty-two times.

8th row.—K.1, (K.1, P.1) thirty-one times, slip 1, K.1, p.s.s.o., K.1, K.2 tog., (P.1, K.1) fifty-five times, K.1.

9th row.—(K.1, P.1) fifty-five times, K.2 tog., P.1, K.2 tog., (P.1, K.1) thirty-one times.

10th row.—K.1, (K.1, P.1) thirty times, slip 1, K.1, p.s.s.o., K.1, K.2 tog., (P.1, K.1) fifty-four times, K.1. Cast off in rib.

THE ARM-HOLE BANDS (for Pullover without sleeves).

Sew up left shoulder seam.

With right side of work facing and using No. 12 Needles, knit up 196 sts. evenly round arm-hole.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row nine times. Cast off in rib.

Work other Arm-hole Band in same manner.

TO MAKE UP PULLOVER.—With a slightly damp cloth and warm iron press lightly. Sew up side, left shoulder and sleeve seams. Sew in sleeves, placing seam to seam. For Pullover without sleeves:—Sew up side seams.

Colin

Illustrated on Page 22.

MATERIALS:—

PATONS BLUEBELL Crepe.

Quantity 15 ozs.

Knitting Needles 1 pair each Nos. 8 and 11

MEASUREMENTS:—

Length from top of shoulder 23 ins.

Width all round at under-arm 42 ins.

Length of sleeve from under-arm 20½ ins.
(or length desired)

ABBREVIATIONS:—See page 20.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 6 stitches to the inch in width. **Check tension**—see page 20.

THE FRONT.—Using No. 11 Needles, cast on 118 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row thirty-five times, increasing once at each end of needle in last row (120 sts.).

Using No. 8 Needles, proceed as follows:—

1st and 2nd rows.—* K.5, P.5, repeat from * to last 10 sts., K.5, P.4, K.1.

3rd row.—K.4, * P.5, K.5, repeat from * to last 6 sts., P.5, K.1.

4th row.—K.1, * K.5, P.5, repeat from * to last 9 sts., K.5, P.3, K.1.

5th row.—K.3, * P.5, K.5, repeat from * to last 7 sts., P.5, K.2.

6th row.—K.1, P.1, * K.5, P.5, repeat from * to last 8 sts., K.5, P.2, K.1.

7th row.—K.2, * P.5, K.5, repeat from * to last 8 sts., P.5, K.3.

8th row.—K.1, P.2, * K.5, P.5, repeat from * to last 7 sts., K.5, P.1, K.1.

Continue in this manner, working 1 st. to right in next and every alternate row, whilst at same time increasing once at each end of needle in 9th (17th row from ribbing) and every following 10th row until there are 130 sts. on needle.

Work 39 rows without shaping.

In next row cast off 7 sts. (K.5, P.5) five times, K.5, P.3, turn.

Leave remaining sts. on a spare needle and continue in pattern on these 58 sts., decreasing once at arm-hole edge in every row seven times, whilst at same time decreasing once at neck edge in next and every following 3rd row twice (48 sts.).

Continue decreasing at neck edge only in every 3rd row until 34 sts. remain.

Continue in pattern without shaping until work measures $22\frac{1}{2}$ ins. from commencement, ending at neck edge.

Shape for shoulder as follows:—

1st row.—Work in pattern to last 11 sts., turn.

2nd row.—Work in pattern to end of row.

3rd row.—Work in pattern to last 22 sts., turn.

4th row.—Like 2nd row. Cast off.

Join in wool at centre front and work on remaining sts. to correspond with other side.

THE BACK.—Work exactly as given for Front to under-arm (130 sts.).

Cast off 7 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in every row until 102 sts. remain.

Continue in pattern without shaping until arm-holes measure same as Front arm-holes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work in pattern to last 11 sts., turn.

3rd and 4th rows.—Work in pattern to last 22 sts., turn.

5th and 6th rows.—Work in pattern to last 34 sts., turn.

7th row.—Work in pattern to end of row. Cast off.

THE SLEEVES.—Using No. 11 Needles, cast on 60 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row thirty-three times.

Using No. 8 Needles, work in pattern as given for Front, increasing once at each end of needle in 7th and every following 8th row until there are 92 sts. on needle.

Continue in pattern without shaping until work measures $20\frac{1}{2}$ ins. (or length desired) from commencement.

Decrease once at each end of needle in every row until 26 sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECK-BAND.—Sew up right shoulder seam. With right side of work facing and using No. 11 Needles, knit up 64 sts. evenly along left side of neck (knitting up last st. from centre front), 63 sts. along right side of neck and 35 sts. across back of neck (162 sts.).

1st row.—K.2, (P.1, K.1) forty-seven times, K.2 tog., P.1, K.2 tog., K.1, (P.1, K.1) thirty times.

2nd row.—K.2, (P.1, K.1) twenty-nine times, (P.2 tog., K.1) twice, (P.1, K.1) forty-seven times.

3rd row.—K.2, (P.1, K.1) forty-six times, K.2 tog., P.1, K.2 tog., K.1, (P.1, K.1) twenty-nine times.

4th row.—K.2, (P.1, K.1) twenty-eight times, (P.2 tog., K.1) twice, (P.1, K.1) forty-six times.

5th row.—K.2, (P.1, K.1) forty-five times, K.2 tog., P.1, K.2 tog., K.1 (P.1, K.1) twenty-eight times.

6th row.—K.2, (P.1, K.1) twenty-seven times, (P.2 tog., K.1) twice, (P.1, K.1) forty-five times.

7th row.—K.2, (P.1, K.1) forty-four times, K.2 tog., P.1, K.2 tog., K.1, (P.1, K.1) twenty-seven times.

8th row.—K.2, (P.1, K.1) twenty-six times, (P.2 tog., K.1) twice, (P.1, K.1) forty-four times.

Cast off in rib.

TO MAKE UP PULLOVER.—With a slightly damp cloth and warm iron press lightly. Sew up side, left shoulder and sleeve seams. Sew in sleeves, placing seam to seam.

Brian

(IN TWO SIZES)

Illustrated on Page 23.

MATERIALS:—

PATONS BEEHIVE Fingering, 4-ply,
"Patonised"-Shrink-Resist Finish.

	[A]	[B]
Quantities	12 ozs.	14 ozs.
Knitting Needles	1 pair each Nos. 9 and 12	
Seven Buttons.		

MEASUREMENTS:—

	[A]	[B]
Length from top of shoulder	23 ins.	24 ins.
Width all round at under-arm	38 ins.	42 ins.
Length of sleeve from under-arm	20 ins.	20½ ins.
	(or length desired)	

ABBREVIATIONS:—See page 20.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 7 stitches to the inch in width. **Check tension**—see page 20.

Instructions are written for smaller size [A]. Instructions for larger size [B] are written in brackets thus [B—].

THE RIGHT FRONT.—Using No. 9 Needles, cast on 64 [B—70] stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row seven times [B—increasing once at beginning of needle in last row].

**** 9th row.**—K.2, (P.1, K.1) four times, knit plain to end of row.

10th row.—K.1, purl to last 10 sts., (P.1, K.1) five times.

11th row.—K.2, (P.1, K.1) four times, * K.5, P.2, repeat from * to last 5 sts., K.5.

12th row.—K.1, P.4, * K.2, P.5, repeat from * to last 10 sts., (P.1, K.1) five times. **

Repeat from ** to ** eight times.

Proceed as follows:—

1st row.—K.2, (P.1, K.1) four times, K.14, (P.1, K.1) fourteen times, K.12 [B—K.19].

2nd row.—K.1, P.11 [B—P.18], (P.1, K.1) fourteen times, P.14, (P.1, K.1) five times.

3rd row.—K.2, (P.1, K.1) four times, (K.5, P.2) twice, (P.1, K.1) fourteen times, (K.5, P.2) once [B—twice], K.5.

4th row.—K.1, P.4, (K.2, P.5) once [B—twice], (P.1, K.1) fourteen times, (K.2, P.5) twice, (P.1, K.1) five times.

5th row.—K.2, (P.1, K.1) four times, K.14, cast off 28 sts. in rib, K.12 [B—K.19].

Leave these sts. on a spare needle until Pocket has been worked.

THE POCKET.—Using No. 9 Needles, cast on 28 stitches.

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

3rd row.—(K.5, P.2) three times, K.5, P.1, K.1.

4th row.—(K.2, P.5) three times, K.2, P.4, K.1.

Repeat from 1st to 4th row nine times, then 1st row once.

Commencing again on sts. of Front, work in pattern across row, working across Pocket sts. in place of cast off sts.

Continue in pattern until 29 [B—32] patterns have been worked from commencement.

Work 1 row without shaping.

Cast off 5 [B—8] sts. at beginning of next row, then decrease once at end of needle in next and every alternate row until 56 [B—60] sts. remain.

Continue in pattern, decreasing once at neck edge (inside border) in 2nd row, whilst at same time decreasing once at arm-hole edge in every alternate row until 52 [B—56] sts. remain.

Continue decreasing at neck edge only in 2nd and every following 6th row until 44 [B—48] sts. remain.

Work 13 rows in pattern without shaping.

Shape for shoulder as follows:—

1st row.—Work in pattern to last 8 [B—9] sts., turn.

2nd and alternate rows.—Work in pattern to end of row.

3rd row.—Work in pattern to last 16 [B—18] sts., turn.

5th row.—Work in pattern to last 24 [B—28] sts., turn.

7th row.—Like 2nd row.

8th row.—Cast off 34 [B—38] sts., work in rib to end of row.

Work in rib on remaining sts. for 2½ ins.

Cast off in rib.

THE LEFT FRONT.—Work to correspond with Right Front, working border and shapings at opposite ends of needle and making a button-hole in 9th [B—9th] and every following 20th [B—22nd] row six times (7 button-holes).

To make a button-hole:—Work in pattern to last 10 sts., (K.1, P.1) twice, w.r.n., P.2 tog., K.1, P.1, K.2.

THE PATTERN.—

1st row.—Knit plain to last 10 sts., (K.1, P.1) four times, K.2.

2nd row.—(K.1, P.1) five times, purl to last st., K.1.

3rd row.—* K.5, P.2, repeat from * to last 15 sts., K.5, (K.1, P.1) four times, K.2.

4th row.—(K.1, P.1) five times, * P.5, K.2, repeat from * to last 5 sts., P.4, K.1.

THE BACK.—Using No. 9 Needles, cast on 118 [B—132] stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row seven times, increasing once at end of needle in last row.

** 9th row.—Knit plain.

10th row.—K.1, purl to last st., K.1.

11th row.—K.1, * K.5, P.2, repeat from * to last 6 sts., K.6.

12th row.—K.1, * P.5, K.2, repeat from * to last 6 sts., P.5, K.1. **

Continue in pattern as given from ** to ** until work measures same as Fronts to under-arm.

Cast off 5 [B—8] sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row until 97 [B—105] sts. remain.

Continue in pattern without shaping until arm-holes measure same as Front arm-holes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work in pattern to last 8 [B—9] sts., turn.

3rd and 4th rows.—Work in pattern to last 16 [B—18] sts., turn.

5th and 6th rows.—Work in pattern to last 24 [B—27] sts., turn.

7th and 8th rows.—Work in pattern to last 34 [B—38] sts., turn.

9th row.—Work in pattern to end of row. Cast off.

THE SLEEVES.—Using No. 12 Needles, cast on 76 [B—76] stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row for 3½ ins., increasing once at end of needle in last row.

Using No. 9 Needles, work in pattern as given from ** to ** for Back, increasing once at each end of needle in next and every following 8th row until there are 109 [B—109] sts. on needle.

Continue in pattern without shaping until work measures 20 [B—20½] ins. (or length desired) from commencement.

Decrease once at each end of needle in every alternate row until 99 sts. remain, then in every row until 37 sts. remain. Cast off.

Work another Sleeve in same manner.

TO MAKE UP CARDIGAN.—With a slightly damp cloth and warm iron press lightly. Sew up side, shoulder and sleeve seams. Sew in sleeves, placing seam to seam. Join together bands from Fronts and sew to back of neck. Sew pocket linings in position on wrong side. Sew on buttons to correspond with button-holes.

Douglas

Illustrated on Back Cover.

MATERIALS:—

PATONS ZINNIA Knitting Wool.

Quantity 10 ozs.

Knitting Needles 1 pair each Nos. 6 and 9

MEASUREMENTS:—

Length from top of shoulder 24 ins.

Width all round at under-arm 38 ins.

ABBREVIATIONS:—See page 20.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 5 stitches to the inch in width. **Check tension**—see page 20.

THE FRONT.—Using No. 9 Needles, cast on 86 stitches.



PATONS BEEHIVE FINGERING

is now treated with a

SHRINK-RESIST FINISH known as "PATONISED"

This Knitting Wool can be washed repeatedly without shrinking and—most important!—will retain its original soft fullness and woolly texture. The "Patonised" Shrink-Resist Finish, exclusive to P & B Wools, is not something new and untried, but is the result of nearly sixteen years of research and improvement by Patons & Baldwins' own experts in their own factories.

PATONS & BALDWIN'S LTD.

Makers of the Best Hand Knitting Wools for over 150 years.

SOME IMPORTANT INFORMATION

Avoid disappointment—buy the wool recommended. Buy wisely—buy enough—the same blend cannot be repeated.

TENSION is the number of stitches in width to measure one inch. On this depends the success of the finished article. If the tension is not obtainable on the needles recommended, use a size finer or coarser, as required.

ABBREVIATIONS:—

K = Knit plain	p.s.o. = pass slip stitch over	t.b.l. = through the back of the loop	l.tr. = long treble (wool over hook twice)
P. = Purl	w.o.n. = wool over needle	ch. = chain	sl. st. = slip stitch
sts. = stitches	w.r.n. = wool round needle	tr. = treble	sp. = space
ins. = inches		s.c. = single crochet	garter stitch — every row plain
tog. = together		d.c. = double crochet	
wl. fwd. = wool for- ward			

When the instructions read, "Cast off 2 stitches, K.2" (or similar stitches), the stitch on the right-hand needle, after casting off, is counted as one stitch.


Wholly Set Up and Printed in Australia

Published With All Rights Reserved by

PATONS & BALDWIN'S LTD.

MELBOURNE BRANCH
84-94 Flinders Lane

SYDNEY BRANCH
181 Clarence Street



"DON"
See page 13.



"COLIN"
See page 14.



"BRIAN"
See page 16.

Patches

KNITTING BOOK

NO. 193

"DOUGLAS"
See page 17.